



Author index


- Abematsu, C., see Nakayama, H. 253 (2000) 331
Abram, U., see Voigt, A. 253 (2000) 171
Adachi, H., see Suzuki, C. 253 (2000) 27
Agostini, G., L. Pasimeni, M. Ruzzi, S. Monti, M. Maggini, M. Prato, I. Lamparth and A. Hirsch, Fullerene derivatives embedded in poly(methylmethacrylate): a laser flash photolysis and time-resolved EPR study 253 (2000) 105
Alemán, C., The keto-amino/enol tautomerism of cytosine in aqueous solution. A theoretical study using combined discrete/self-consistent reaction field models 253 (2000) 13
Aramendia, P.F., see Torga, J.R. 253 (2000) 249
- Böttcher, R., see Voigt, A. 253 (2000) 171
Badenes, M.P., E. Castellano, C.J. Cobos, A.E. Croce and M.E. Tucceri, Kinetics of the reactions of FC(O)O₂ radicals with F atoms and F₂ 253 (2000) 205
Bakker, H.J., see van den Broek, M.A.F.H. 253 (2000) 157
Bartolotti, L.J., see Chesnut, D.B. 253 (2000) 1
Bergman, D.L., Topological properties of the hydrogen-bond network in liquid water 253 (2000) 267
Bhattacharyya, S.P., see Chaudhury, P. 253 (2000) 295
Bielschowsky, C.E., see Rocha, A.B. 253 (2000) 51
Boulet, P., F. Gilardoni, J. Weber, H. Chermette and Y. Ellinger, Reply to Comment on “Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H₃⁺” [Chem. Phys. 253 (2000) 389–390] 253 (2000) 391
Brion, C.E., see Litvinyuk, I.V. 253 (2000) 41
Buehler, E.J., E.E. Gooch, J.L. Dial and S.K. Knudson, Semiclassical energies of low-lying states of one-electron diatomics 253 (2000) 219
- Cacace, F., and G. de Petris, Comment on “Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H₃⁺” [Chem. Phys. 244 (2000) 163–174] 253 (2000) 389
Castellano, E., see Badenes, M.P. 253 (2000) 205
Chaudhury, P., S.P. Bhattacharyya and W. Quapp, A genetic algorithm based technique for locating first-order saddle point using a gradient dominated recipe 253 (2000) 295
Chermette, H., see Boulet, P. 253 (2000) 391
Chesnut, D.B., and L.J. Bartolotti, The electron localization function description of aromaticity in five-membered rings 253 (2000) 1
Cobos, C.J., see Badenes, M.P. 253 (2000) 205

Croce, A.E., see Badenes, M.P.	253 (2000) 205
da Silveira, N.P., F.S. Rodembusch, F.V. Pereira, D. Samios and P.R. Livotto, Ab initio determination of the C ₆ H ₆ ···CS ₂ cluster stabilization energy	253 (2000) 165
de Petris, G., see Cacace, F.	253 (2000) 389
Dial, J.L., see Buehler, E.J.	253 (2000) 219
Doktorov, A.B., see Toropov, Yu.V.	253 (2000) 231
Edvardsson, D., see Holland, D.M.P.	253 (2000) 133
Ellinger, Y., see Boulet, P.	253 (2000) 391
Fourkas, J.T., see Loughnane, B.J.	253 (2000) 323
Franco, M.L., see Jorge, F.E.	253 (2000) 21
Fritzsche, S., R. Haberlandt and M. Wolfsberg, Equilibration of the kinetic energy in small zeolite cavities. The thermalization effect of lattice vibrations and of mutual interaction in the diffusion of methane in a cation-free LTA zeolite	253 (2000) 283
Fujimoto, H., see Kimura, T.	253 (2000) 125
Gómez, J.A., and D. Guenzburger, Density functional study of electronic, magnetic and hyperfine properties of [M(CN) ₅ NO] ²⁻ (M = Fe, Ru) and reduction products	253 (2000) 73
Gilardoni, F., see Boulet, P.	253 (2000) 391
Gooch, E.E., see Buehler, E.J.	253 (2000) 219
Guenzburger, D., see Gómez, J.A.	253 (2000) 73
Guo, S.-L., see Zhu, X.-L.	253 (2000) 241
Haberlandt, R., see Fritzsche, S.	253 (2000) 283
Halkier, A., B. Kirchner, H. Huber and M. Jaszuński, Nuclear quadrupole coupling constant of ²¹ Ne in the neon dimer and its influence on the T ₁ NMR relaxation time in fluid neon	253 (2000) 183
Hashimoto, Y., see Kimura, T.	253 (2000) 125
Hirsch, A., see Agostini, G.	253 (2000) 105
Holland, D.M.P., D. Edvardsson, L. Karlsson, R. Maripuu, K. Siegbahn, A.W. Potts and W. von Niessen, A systematic investigation of the influence of Cooper minima on the photoionisation dynamics of the monohalobenzenes	253 (2000) 133
Huber, H., see Halkier, A.	253 (2000) 183
Hupp, J.T., see Vance, F.W.	253 (2000) 313
Ishii, K., see Nakayama, H.	253 (2000) 331
Izvekov, V., see Kovács, A.	253 (2000) 193
Jaszuński, M., see Halkier, A.	253 (2000) 183
Jorge, F.E., and M.L. Franco, A universal Gaussian basis set for positive and negative ions from H through Xe	253 (2000) 21
Jurczok, M., P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig, Excited state relaxation paths in 9,9'-bianthryl and 9-carbazolyl-anthracene: a sub-ps transient absorption study	253 (2000) 339
Karlsson, L., see Holland, D.M.P.	253 (2000) 133
Kawai, J., see Suzuki, C.	253 (2000) 27

Keresztry, G., see Kovács, A.	253 (2000) 193
Kim, H.-S., Monte Carlo simulation study of solvent effect on Na^+ to Li^+ ion mutation	253 (2000) 305
Kimura, T., M. Sumimoto, S. Sakaki, H. Fujimoto, Y. Hashimoto and S. Matsuzaki, Electronic structure of lithium phthalocyanine studied by ultraviolet photoemission spectroscopy	253 (2000) 125
Kirchner, B., see Halkier, A.	253 (2000) 183
Kirmse, R., see Voigt, A.	253 (2000) 171
Knudson, S.K., see Buehler, E.J.	253 (2000) 219
Kosuge, M., see Moriyama, M.	253 (2000) 91
Kovács, A., G. Keresztry and V. Izvekov, Intramolecular hydrogen-bonding in 2- nitroresorcinol. A combined FT-IR, FT-Raman and computational study	253 (2000) 193
Kovačević, B., see Maksić, Z.B.	253 (2000) 59
Lamparth, I., see Agostini, G.	253 (2000) 105
Lesar, A., see Maksić, Z.B.	253 (2000) 59
Litvinyuk, I.V., Y. Zheng and C.E. Brion, Valence shell orbital imaging in adamantane by electron momentum spectroscopy	253 (2000) 41
Livotto, P.R., see da Silveira, N.P.	253 (2000) 165
Loughnane, B.J., A. Scodinu and J.T. Fourkas, Temperature-dependent optical Kerr effect spectroscopy of chloroform in restricted geometries	253 (2000) 323
Maggini, M., see Agostini, G.	253 (2000) 105
Makarov, V.I., and E. Quiñones, Relaxation of individual rotational levels of the $\tilde{\Lambda}^1\text{A}_u$ electronic state of acetylene excited to the $2\nu'_3$ and $(\nu'_1+\nu'_3+\nu'_6)$ vibrational modes	253 (2000) 259
Maksić, Z.B., B. Kovačević and A. Lesar, Protonation of archetypal aromatic and antiaromatic systems – G2 studies of benzene and cyclobutadiene	253 (2000) 59
Mandal, A.K., and M.K. Pal, Strong fluorescence emissions by H-aggregates of the dye thiacyanine in the presence of the surfactant aerosol-OT	253 (2000) 115
Marconi, M.C., see Torga, J.R.	253 (2000) 249
Maripuu, R., see Holland, D.M.P.	253 (2000) 133
Martin Negri, R., see Torga, J.R.	253 (2000) 249
Martin, M.M., see Jurczok, M.	253 (2000) 339
Matsuzaki, S., see Kimura, T.	253 (2000) 125
Meyer, Y.H., see Jurczok, M.	253 (2000) 339
Mihailović, D., see Umek, P.	253 (2000) 361
Minagawa, Y., see Nakayama, H.	253 (2000) 331
Molin, Yu.N., see Toropov, Yu.V.	253 (2000) 231
Molinari, E., and M. Tomellini, Non-equilibrium vibrational kinetics in adlayers: outline of an alternative approach to catalytic processes	253 (2000) 367
Monti, S., see Agostini, G.	253 (2000) 105
Moriyama, M., M. Kosuge, S. Tobita and H. Shizuka, Excited-state intramolecular proton transfer followed by <i>cis-trans</i> isomerization of (1-hydroxy-2-naphthyl)-s- triazine derivatives	253 (2000) 91
Mukoyama, T., see Suzuki, C.	253 (2000) 27
Nakayama, H., Y. Minagawa, C. Abematsu, S. Yajima and K. Ishii, Pseudo-lattice vibrations in smectic phase of liquid crystals: studies on small wave number Raman spectra of 4-alkyl-4'-cyanobiphenyl	253 (2000) 331

Omerzu, A., see Umek, P.	253 (2000) 361
Painelli, A., Erratum to: "Amplification of NLO responses: vibronic and solvent effects in push-pull polyenes" [Chem. Phys. 245 (2000) 185–197]	253 (2000) 393
Pal, M.K., see Mandal, A.K.	253 (2000) 115
Pasimeni, L., see Agostini, G.	253 (2000) 105
Pereira, F.V., see da Silveira, N.P.	253 (2000) 165
Plaza, P., see Jurczok, M.	253 (2000) 339
Potts, A.W., see Holland, D.M.P.	253 (2000) 133
Prato, M., see Agostini, G.	253 (2000) 105
Quapp, W., see Chaudhury, P.	253 (2000) 295
Quiñones, E., see Makarov, V.I.	253 (2000) 259
Reinhold, J., see Voigt, A.	253 (2000) 171
Rettig, W., see Jurczok, M.	253 (2000) 339
Richter, U., see Voigt, A.	253 (2000) 171
Rocha, A.B., and C.E. Bielschowsky, Vibronic coupling for H ₂ CO and CO ₂	253 (2000) 51
Rodembusch, F.S., see da Silveira, N.P.	253 (2000) 165
Ruzzi, M., see Agostini, G.	253 (2000) 105
Saito, N., see Suzuki, I.H.	253 (2000) 351
Sakaki, S., see Kimura, T.	253 (2000) 125
Samios, D., see da Silveira, N.P.	253 (2000) 165
Scodinu, A., see Loughnane, B.J.	253 (2000) 323
Shizuka, H., see Moriyama, M.	253 (2000) 91
Siegbahn, K., see Holland, D.M.P.	253 (2000) 133
Slone, R.V., see Vance, F.W.	253 (2000) 313
Stass, D.V., see Toropov, Yu.V.	253 (2000) 231
Stern, C.L., see Vance, F.W.	253 (2000) 313
Sumimoto, M., see Kimura, T.	253 (2000) 125
Suzuki, C., J. Kawai, M. Takahashi, A.-M. Vlaicu, H. Adachi and T. Mukoyama, The electronic structure of rare-earth oxides in the creation of the core hole	253 (2000) 27
Suzuki, I.H., and N. Saito, Energy dependences of fragment ion yields from acetone photoexcited in the C1s and O1s transition regions	253 (2000) 351
Sviridenko, F.B., see Toropov, Yu.V.	253 (2000) 231
Takahashi, M., see Suzuki, C.	253 (2000) 27
Tobita, S., see Moriyama, M.	253 (2000) 91
Tokumoto, M., see Umek, P.	253 (2000) 361
Tomellini, M., see Molinari, E.	253 (2000) 367
Torga, J.R., M.C. Marconi, R. Martín Negri and P.F. Aramendia, Molecular rotational diffusion detected by differential fluorescence energy	253 (2000) 249
Toropov, Yu.V., F.B. Sviridenko, D.V. Stass, A.B. Doktorov and Yu.N. Molin, Influence of geminate recombination kinetics on the shape of low field MARY line	253 (2000) 231
Tucceri, M.E., see Badenes, M.P.	253 (2000) 205

- Umek, P., A. Omerzu, D. Mihailović and M. Tokumoto, Synthesis and magnetic characterisation of fullerene derivative based ferromagnets 1-(3-nitro)- and 1-(3-aminophenyl)-1H-methanofullerene doped with cobaltocene 253 (2000) 361
- van den Broek, M.A.F.H., and H.J. Bakker, Observation of a bottleneck in the vibrational relaxation of liquid bromoform 253 (2000) 157
- Vance, F.W., R.V. Slone, C.L. Stern and J.T. Hupp, Comparative absorption, electroabsorption and electrochemical studies of intervalence electron transfer and electronic coupling in cyanide-bridged bimetallic systems: ancillary ligand effects 253 (2000) 313
- Vlaicu, A.-M., see Suzuki, C. 253 (2000) 27
- Voigt, A., U. Abram, R. Böttcher, U. Richter, J. Reinhold and R. Kirmse, Q-Band single-crystal EPR study and molecular orbital calculations of $[(C_6H_5)_4As][Re-V^{+}Cl_4]/Re^VOCl_4]$ 253 (2000) 171
- von Niessen, W., see Holland, D.M.P. 253 (2000) 133
- Weber, J., see Boulet, P. 253 (2000) 391
- Wolfsberg, M., see Fritzsche, S. 253 (2000) 283
- Yajima, S., see Nakayama, H. 253 (2000) 331
- You, X.-Z., see Zhu, X.-L. 253 (2000) 241
- Yu, Z., see Zhu, X.-L. 253 (2000) 241
- Zheng, Y., see Litvinyuk, I.V. 253 (2000) 41
- Zhong, Y., see Zhu, X.-L. 253 (2000) 241
- Zhu, X.-L., X.-Z. You, Y. Zhong, Z. Yu and S.-L. Guo, An improved calculation method on optical second-order susceptibilities of organic materials 253 (2000) 241





ELSEVIER

Chemical Physics 253 (2000) 401–412

Chemical
Physics

www.elsevier.nl/locate/chemphys

Subject index

Methods and constructs

Theoretical

Computational methods for electronic structure

The electron localization function description of aromaticity in five-membered rings, D.B. Chesnut and L.J. Bartolotti	253 (2000) 1
The keto-amino/enol tautomerism of cytosine in aqueous solution. A theoretical study using combined discrete/self-consistent reaction field models, C. Alemán	253 (2000) 13
A universal Gaussian basis set for positive and negative ions from H through Xe, F.E. Jorge and M.L. Franco	253 (2000) 21
The electronic structure of rare-earth oxides in the creation of the core hole, C. Suzuki, J. Kawai, M. Takahashi, A.-M. Vlaicu, H. Adachi and T. Mukoyama	253 (2000) 27
Valence shell orbital imaging in adamantane by electron momentum spectroscopy, I.V. Litvinyuk, Y. Zheng and C.E. Brion	253 (2000) 41
Vibronic coupling for H ₂ CO and CO ₂ , A.B. Rocha and C.E. Bielschowsky	253 (2000) 51
Ab initio determination of the C ₆ H ₆ ···CS ₂ cluster stabilization energy, N.P. da Silveira, F.S. Rodembusch, F.V. Pereira, D. Samios and P.R. Livotto	253 (2000) 165
Q-Band single-crystal EPR study and molecular orbital calculations of [(C ₆ H ₅) ₄ As] [Re ^V NCl ₄ /Re ^V OCl ₄], A. Voigt, U. Abram, R. Böttcher, U. Richter, J. Reinhold and R. Kirmse	253 (2000) 171
<i>-CI and valence bond approach</i>	
Vibronic coupling for H ₂ CO and CO ₂ , A.B. Rocha and C.E. Bielschowsky	253 (2000) 51
<i>-perturbative and many body approaches</i>	
Protonation of archetypal aromatic and antiaromatic systems – G2 studies of benzene and cyclobutadiene, Z.B. Maksić, B. Kovačević and A. Lesar	253 (2000) 59
Nuclear quadrupole coupling constant of ²¹ Ne in the neon dimer and its influence on the T ₁ NMR relaxation time in fluid neon, A. Halkier, B. Kirchner, H. Huber and M. Jaszuński	253 (2000) 183

-density functional theory

Density functional study of electronic, magnetic and hyperfine properties of [M(CN) ₅ NO] ²⁻ (M = Fe, Ru) and reduction products, J.A. Gómez and D. Guenzburger	253 (2000) 73
---	---------------

Intramolecular hydrogen-bonding in 2-nitroresorcinol. A combined FT-IR, FT-Raman and computational study, A. Kovács, G. Keresztfury and V. Izvekov	253 (2000) 193
Kinetics of the reactions of FC(O)O_2 radicals with F atoms and F_2 , M.P. Badenes, E. Castellano, C.J. Cobos, A.E. Croce and M.E. Tucceri	253 (2000) 205
<i>Semiempirical methods</i>	
Excited-state intramolecular proton transfer followed by <i>cis-trans</i> isomerization of (1-hydroxy-2-naphthyl)-s-triazine derivatives, M. Moriyama, M. Kosuge, S. Tobita and H. Shizuka	253 (2000) 91
<i>Algebraic approaches</i>	
Semiclassical energies of low-lying states of one-electron diatomics, E.J. Buehler, E.E. Gooch, J.L. Dial and S.K. Knudson	253 (2000) 219
<i>Spin states and magnetic interactions</i>	
Density functional study of electronic, magnetic and hyperfine properties of $[\text{M}(\text{CN})_5\text{NO}]^{2-}$ ($\text{M} = \text{Fe, Ru}$) and reduction products, J.A. Gómez and D. Guenzburger	253 (2000) 73
Fullerene derivatives embedded in poly(methylmethacrylate): a laser flash photolysis and time-resolved EPR study, G. Agostini, L. Pasimeni, M. Ruzzi, S. Monti, M. Maggini, M. Prato, I. Lamparth and A. Hirsch	253 (2000) 105
Influence of geminate recombination kinetics on the shape of low field MARY line, Yu.V. Toropov, F.B. Sviridenko, D.V. Stass, A.B. Doktorov and Yu.N. Molin	253 (2000) 231
<i>Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)</i>	
An improved calculation method on optical second-order susceptibilities of organic materials, X.-L. Zhu, X.-Z. You, Y. Zhong, Z. Yu and S.-L. Guo	253 (2000) 241
Molecular rotational diffusion detected by differential fluorescence energy, J.R. Torga, M.C. Marconi, R. Martin Negri and P.F. Aramendia	253 (2000) 249
<i>Collisional and reactive molecular dynamics with non-frictional forces</i>	
Relaxation of individual rotational levels of the $\tilde{\Lambda}^1\text{A}_u$ electronic state of acetylene excited to the $2v'_3$ and $(v'_1+v'_3+v'_6)$ vibrational modes, V.I. Makarov and E. Quiñones	253 (2000) 259
<i>Molecular dynamics of many particle systems and condensed phases</i>	
Nuclear quadrupole coupling constant of ^{21}Ne in the neon dimer and its influence on the T_1 NMR relaxation time in fluid neon, A. Halkier, B. Kirchner, H. Huber and M. Jaszuński	253 (2000) 183
Topological properties of the hydrogen-bond network in liquid water, D.L. Bergman	253 (2000) 267
<i>Migration and interaction on grids and lattices</i>	
Equilibration of the kinetic energy in small zeolite cavities. The thermalization effect of lattice vibrations and of mutual interaction in the diffusion of methane in a cation-free LTA zeolite, S. Fritzsché, R. Haberlandt and M. Wolfsberg	253 (2000) 283

Statistical computational methods (incl. Monte Carlo)

- Kinetics of the reactions of FC(O)O₂ radicals with F atoms and F₂, M.P. Badenes,
E. Castellano, C.J. Cobos, A.E. Croce and M.E. Tucceri 253 (2000) 205
- Equilibration of the kinetic energy in small zeolite cavities. The thermalization effect of
lattice vibrations and of mutual interaction in the diffusion of methane in a cation-
free LTA zeolite, S. Fritzsche, R. Haberlandt and M. Wolfsberg 253 (2000) 283
- A genetic algorithm based technique for locating first-order saddle point using a
gradient dominated recipe, P. Chaudhury, S.P. Bhattacharyya and W. Quapp 253 (2000) 295
- Monte Carlo simulation study of solvent effect on Na⁺ to Li⁺ ion mutation,
H.-S. Kim 253 (2000) 305

Extremum methods for ensembles (energy, entropy, free energy)

- Monte Carlo simulation study of solvent effect on Na⁺ to Li⁺ ion mutation,
H.-S. Kim 253 (2000) 305

Experiment*Magnetic resonances*

- Fullerene derivatives embedded in poly(methylmethacrylate): a laser flash photolysis
and time-resolved EPR study, G. Agostini, L. Pasimeni, M. Ruzzi, S. Monti,
M. Maggini, M. Prato, I. Lamparth and A. Hirsch 253 (2000) 105
- Q-Band single-crystal EPR study and molecular orbital calculations of [(C₆H₅)₄As]
[Re^VCl₄/Re^VOCl₄], A. Voigt, U. Abram, R. Böttcher, U. Richter, J. Reinhold and
R. Kirmse 253 (2000) 171

Molecular spectroscopy

- Strong fluorescence emissions by H-aggregates of the dye thiacyanine in the presence of
the surfactant aerosol-OT, A.K. Mandal and M.K. Pal 253 (2000) 115
- Comparative absorption, electroabsorption and electrochemical studies of intervalence
electron transfer and electronic coupling in cyanide-bridged bimetallic systems:
ancillary ligand effects, F.W. Vance, R.V. Slone, C.L. Stern and J.T. Hupp 253 (2000) 313

-infrared

- Intramolecular hydrogen-bonding in 2-nitroresorcinol. A combined FT-IR, FT-Raman
and computational study, A. Kovács, G. Keresztfury and V. Izvekov 253 (2000) 193

-Raman

- Intramolecular hydrogen-bonding in 2-nitroresorcinol. A combined FT-IR, FT-Raman
and computational study, A. Kovács, G. Keresztfury and V. Izvekov 253 (2000) 193
- Temperature-dependent optical Kerr effect spectroscopy of chloroform in restricted
geometries, B.J. Loughnane, A. Scodinu and J.T. Fourkas 253 (2000) 323
- Pseudo-lattice vibrations in smectic phase of liquid crystals: studies on small wave
number Raman spectra of 4-alkyl-4'-cyanobiphenyl, H. Nakayama, Y. Minagawa,
C. Abematsu, S. Yajima and K. Ishii 253 (2000) 331

-UV

- An improved calculation method on optical second-order susceptibilities of organic
materials, X.-L. Zhu, X.-Z. You, Y. Zhong, Z. Yu and S.-L. Guo 253 (2000) 241

Relaxation of individual rotational levels of the $\tilde{\Lambda}^1 A_u$ electronic state of acetylene excited to the $2v'_3$ and $(v'_1+v'_3+v'_6)$ vibrational modes, V.I. Makarov and E. Quiñones	253 (2000) 259
<i>Photon counting and phase fluorimetry</i>	
Excited-state intramolecular proton transfer followed by <i>cis-trans</i> isomerization of (1-hydroxy-2-naphthyl)- <i>s</i> -triazine derivatives, M. Moriyama, M. Kosuge, S. Tobita and H. Shizuka	253 (2000) 91
Strong fluorescence emissions by H-aggregates of the dye thiacyanine in the presence of the surfactant aerosol-OT, A.K. Mandal and M.K. Pal	253 (2000) 115
<i>Photoelectron and Auger spectroscopy</i>	
Electronic structure of lithium phthalocyanine studied by ultraviolet photoemission spectroscopy, T. Kimura, M. Sumimoto, S. Sakaki, H. Fujimoto, Y. Hashimoto and S. Matsuzaki	253 (2000) 125
A systematic investigation of the influence of Cooper minima on the photoionisation dynamics of the monohalobenzenes, D.M.P. Holland, D. Edvardsson, L. Karlsson, R. Maripuu, K. Siegbahn, A.W. Potts and W. von Niessen	253 (2000) 133
<i>X-ray spectroscopy</i>	
The electronic structure of rare-earth oxides in the creation of the core hole, C. Suzuki, J. Kawai, M. Takahashi, A.-M. Vlaicu, H. Adachi and T. Mukoyama	253 (2000) 27
<i>Electron impact spectroscopy</i>	
Valence shell orbital imaging in adamantane by electron momentum spectroscopy, I.V. Litvinyuk, Y. Zheng and C.E. Brion	253 (2000) 41
<i>Ultrafast measurements</i>	
Observation of a bottleneck in the vibrational relaxation of liquid bromoform, M.A.F.H. van den Broek and H.J. Bakker	253 (2000) 157
Molecular rotational diffusion detected by differential fluorescence energy, J.R. Torga, M.C. Marconi, R. Martín Negri and P.F. Aramendia	253 (2000) 249
Excited state relaxation paths in 9,9'-bianthryl and 9-carbazolyl-anthracene: a sub-ps transient absorption study, M. Jurczok, P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig	253 (2000) 339
<i>Synchrotron spectroscopies</i>	
A systematic investigation of the influence of Cooper minima on the photoionisation dynamics of the monohalobenzenes, D.M.P. Holland, D. Edvardsson, L. Karlsson, R. Maripuu, K. Siegbahn, A.W. Potts and W. von Niessen	253 (2000) 133
Energy dependences of fragment ion yields from acetone photoexcited in the C1s and O1s transition regions, I.H. Suzuki and N. Saito	253 (2000) 351
<i>Atomic and molecular beam techniques</i>	
Relaxation of individual rotational levels of the $\tilde{\Lambda}^1 A_u$ electronic state of acetylene excited to the $2v'_3$ and $(v'_1+v'_3+v'_6)$ vibrational modes, V.I. Makarov and E. Quiñones	253 (2000) 259

Mass spectroscopy

- Protonation of archetypal aromatic and antiaromatic systems – G2 studies of benzene and cyclobutadiene, Z.B. Maksić, B. Kovačević and A. Lesar 253 (2000) 59
 Energy dependences of fragment ion yields from acetone photoexcited in the C1s and O1s transition regions, I.H. Suzuki and N. Saito 253 (2000) 351

Radiolysis

- Influence of geminate recombination kinetics on the shape of low field MARY line, Yu.V. Toropov, F.B. Sviridenko, D.V. Stass, A.B. Doktorov and Yu.N. Molin 253 (2000) 231

Measurement of macroscopic variables

- Kinetics of the reactions of FC(O)O₂ radicals with F atoms and F₂, M.P. Badenes, E. Castellano, C.J. Cobos, A.E. Croce and M.E. Tucceri 253 (2000) 205
 Synthesis and magnetic characterisation of fullerene derivative based ferromagnets 1-(3-nitro)- and 1-(3-aminophenyl)-1H-methanofullerene doped with cobaltocene, P. Umek, A. Omerzu, D. Mihailović and M. Tokumoto 253 (2000) 361

Objects**Bulk systems***Gases*

- The electron localization function description of aromaticity in five-membered rings, D.B. Chesnut and L.J. Bartolotti 253 (2000) 1
 Protonation of archetypal aromatic and antiaromatic systems – G2 studies of benzene and cyclobutadiene, Z.B. Maksić, B. Kovačević and A. Lesar 253 (2000) 59
 Kinetics of the reactions of FC(O)O₂ radicals with F atoms and F₂, M.P. Badenes, E. Castellano, C.J. Cobos, A.E. Croce and M.E. Tucceri 253 (2000) 205
 Relaxation of individual rotational levels of the $\tilde{\Lambda}^1A_u$ electronic state of acetylene excited to the $2v'_3$ and ($v'_1+v'_3+v'_6$) vibrational modes, V.I. Makarov and E. Quiñones 253 (2000) 259

Liquids neat

- Observation of a bottleneck in the vibrational relaxation of liquid bromoform, M.A.F.H. van den Broek and H.J. Bakker 253 (2000) 157
 Topological properties of the hydrogen-bond network in liquid water, D.L. Bergman 253 (2000) 267
 Temperature-dependent optical Kerr effect spectroscopy of chloroform in restricted geometries, B.J. Loughnane, A. Scodinu and J.T. Fourkas 253 (2000) 323

Liquid mixtures and solutions

- Excited-state intramolecular proton transfer followed by *cis-trans* isomerization of (1-hydroxy-2-naphthyl)-s-triazine derivatives, M. Moriyama, M. Kosuge, S. Tobita and H. Shizuka 253 (2000) 91
 Molecular rotational diffusion detected by differential fluorescence energy, J.R. Torga, M.C. Marconi, R. Martín Negri and P.F. Aramendia 253 (2000) 249
 Excited state relaxation paths in 9,9'-bianthryl and 9-carbazolyl-anthracene: a sub-ps transient absorption study, M. Jurczok, P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig 253 (2000) 339

Crystals

An improved calculation method on optical second-order susceptibilities of organic materials, X.-L. Zhu, X.-Z. You, Y. Zhong, Z. Yu and S.-L. Guo

253 (2000) 241

Equilibration of the kinetic energy in small zeolite cavities. The thermalization effect of lattice vibrations and of mutual interaction in the diffusion of methane in a cation-free LTA zeolite, S. Fritzsche, R. Haberlandt and M. Wolfsberg

253 (2000) 283

-neat

An improved calculation method on optical second-order susceptibilities of organic materials, X.-L. Zhu, X.-Z. You, Y. Zhong, Z. Yu and S.-L. Guo

253 (2000) 241

-mixed

Synthesis and magnetic characterisation of fullerene derivative based ferromagnets 1-(3-nitro)- and 1-(3-aminophenyl)-1*H*-methanofullerene doped with cobaltocene, P. Umek, A. Omerzu, D. Mihailović and M. Tokumoto

253 (2000) 361

Complex fluids

Topological properties of the hydrogen-bond network in liquid water, D.L. Bergman

253 (2000) 267

-liquid crystals

Pseudo-lattice vibrations in smectic phase of liquid crystals: studies on small wave number Raman spectra of 4-alkyl-4'-cyanobiphenyl, H. Nakayama, Y. Minagawa, C. Abematsu, S. Yajima and K. Ishii

253 (2000) 331

-micelles

Strong fluorescence emissions by H-aggregates of the dye thiacyanine in the presence of the surfactant aerosol-OT, A.K. Mandal and M.K. Pal

253 (2000) 115

Polymers

Fullerene derivatives embedded in poly(methylmethacrylate): a laser flash photolysis and time-resolved EPR study, G. Agostini, L. Pasimeni, M. Ruzzi, S. Monti, M. Maggini, M. Prato, I. Lamparth and A. Hirsch

253 (2000) 105

Semiconductors

Electronic structure of lithium phthalocyanine studied by ultraviolet photoemission spectroscopy, T. Kimura, M. Sumimoto, S. Sakaki, H. Fujimoto, Y. Hashimoto and S. Matsuzaki

253 (2000) 125

Surfaces

Temperature-dependent optical Kerr effect spectroscopy of chloroform in restricted geometries, B.J. Loughnane, A. Scodinu and J.T. Fourkas

253 (2000) 323

Biological systems

The keto-amino/enol tautomerism of cytosine in aqueous solution. A theoretical study using combined discrete/self-consistent reaction field models, C. Alemán

253 (2000) 13

Microscopic and mesoscopic systems

Molecules (neutral and ionic)

- The electron localization function description of aromaticity in five-membered rings,
D.B. Chesnut and L.J. Bartolotti 253 (2000) 1
- The electronic structure of rare-earth oxides in the creation of the core hole, C. Suzuki,
J. Kawai, M. Takahashi, A.-M. Vlaicu, H. Adachi and T. Mukoyama 253 (2000) 27
- Molecular rotational diffusion detected by differential fluorescence energy, J.R. Torga,
M.C. Marconi, R. Martin Negri and P.F. Aramendia 253 (2000) 249
- Comparative absorption, electroabsorption and electrochemical studies of intervalence
electron transfer and electronic coupling in cyanide-bridged bimetallic systems:
ancillary ligand effects, F.W. Vance, R.V. Slone, C.L. Stern and J.T. Hupp 253 (2000) 313

-diatomic

- Nuclear quadrupole coupling constant of ^{21}Ne in the neon dimer and its influence on
the T_1 NMR relaxation time in fluid neon, A. Halkier, B. Kirchner, H. Huber and
M. Jaszuński 253 (2000) 183
- Semiclassical energies of low-lying states of one-electron diatomics, E.J. Buehler,
E.E. Gooch, J.L. Dial and S.K. Knudson 253 (2000) 219

-small polyatomics

- The electron localization function description of aromaticity in five-membered rings,
D.B. Chesnut and L.J. Bartolotti 253 (2000) 1
- Observation of a bottleneck in the vibrational relaxation of liquid bromoform,
M.A.F.H. van den Broek and H.J. Bakker 253 (2000) 157
- Temperature-dependent optical Kerr effect spectroscopy of chloroform in restricted
geometries, B.J. Loughnane, A. Scodinu and J.T. Fourkas 253 (2000) 323
- Energy dependences of fragment ion yields from acetone photoexcited in the C1s and
O1s transition regions, I.H. Suzuki and N. Saito 253 (2000) 351

-aromatics

- The electron localization function description of aromaticity in five-membered rings,
D.B. Chesnut and L.J. Bartolotti 253 (2000) 1
- Protonation of archetypal aromatic and antiaromatic systems – G2 studies of benzene
and cyclobutadiene, Z.B. Maksić, B. Kovačević and A. Lesar 253 (2000) 59
- A systematic investigation of the influence of Cooper minima on the photoionisation
dynamics of the monohalobenzenes, D.M.P. Holland, D. Edvardsson, L. Karlsson,
R. Maripuu, K. Siegbahn, A.W. Potts and W. von Niessen 253 (2000) 133

-other large

- Valence shell orbital imaging in adamantane by electron momentum spectroscopy,
I.V. Litvinyuk, Y. Zheng and C.E. Brion 253 (2000) 41

Molecular aggregates

- Fullerene derivatives embedded in poly(methylmethacrylate): a laser flash photolysis
and time-resolved EPR study, G. Agostini, L. Pasimeni, M. Ruzzi, S. Monti,
M. Maggini, M. Prato, I. Lamparth and A. Hirsch 253 (2000) 105

Strong fluorescence emissions by H-aggregates of the dye thiacyanine in the presence of the surfactant aerosol-OT, A.K. Mandal and M.K. Pal

253 (2000) 115

-van der Waals molecules

Ab initio determination of the C₆H₆···CS₂ cluster stabilization energy, N.P. da Silveira, F.S. Rodembusch, F.V. Pereira, D. Samios and P.R. Livotto

253 (2000) 165

-clusters

Ab initio determination of the C₆H₆···CS₂ cluster stabilization energy, N.P. da Silveira, F.S. Rodembusch, F.V. Pereira, D. Samios and P.R. Livotto

253 (2000) 165

A genetic algorithm based technique for locating first-order saddle point using a gradient dominated recipe, P. Chaudhury, S.P. Bhattacharyya and W. Quapp

253 (2000) 295

-complexes

Density functional study of electronic, magnetic and hyperfine properties of [M(CN)₅NO]²⁻ (M = Fe, Ru) and reduction products, J.A. Gómez and D. Guenzburger

253 (2000) 73

Q-Band single-crystal EPR study and molecular orbital calculations of [(C₆H₅)₄As] [Re^{V1}NCl₄/Re^VOCl₄], A. Voigt, U. Abram, R. Böttcher, U. Richter, J. Reinhold and R. Kirmse

253 (2000) 171

Free radicals (incl. hydronium and muonium)

Electronic structure of lithium phthalocyanine studied by ultraviolet photoemission spectroscopy, T. Kimura, M. Sumimoto, S. Sakaki, H. Fujimoto, Y. Hashimoto and S. Matsuzaki

253 (2000) 125

Kinetics of the reactions of FC(O)O₂ radicals with F atoms and F₂, M.P. Badenes, E. Castellano, C.J. Cobos, A.E. Croce and M.E. Tucceri

253 (2000) 205

Influence of geminate recombination kinetics on the shape of low field MARY line, Yu.V. Toropov, F.B. Sviridenko, D.V. Stass, A.B. Doktorov and Yu.N. Molin

253 (2000) 231

Ions and charge carriers

A universal Gaussian basis set for positive and negative ions from H through Xe, F.E. Jorge and M.L. Franco

253 (2000) 21

Influence of geminate recombination kinetics on the shape of low field MARY line, Yu.V. Toropov, F.B. Sviridenko, D.V. Stass, A.B. Doktorov and Yu.N. Molin

253 (2000) 231

Nucleic acids

The keto-amino/enol tautomerism of cytosine in aqueous solution. A theoretical study using combined discrete/self-consistent reaction field models, C. Alemán

253 (2000) 13

Phenomena

Molecular structure

The keto-amino/enol tautomerism of cytosine in aqueous solution. A theoretical study using combined discrete/self-consistent reaction field models, C. Alemán

253 (2000) 13

Vibrations and rotations of molecules

Pseudo-lattice vibrations in smectic phase of liquid crystals: studies on small wave number Raman spectra of 4-alkyl-4'-cyanobiphenyl, H. Nakayama, Y. Minagawa, C. Abematsu, S. Yajima and K. Ishii

253 (2000) 331

Electronic structure and states

A universal Gaussian basis set for positive and negative ions from H through Xe, F.E. Jorge and M.L. Franco

253 (2000) 21

The electronic structure of rare-earth oxides in the creation of the core hole, C. Suzuki, J. Kawai, M. Takahashi, A.-M. Vlaicu, H. Adachi and T. Mukoyama

253 (2000) 27

Valence shell orbital imaging in adamantane by electron momentum spectroscopy, I.V. Litvinyuk, Y. Zheng and C.E. Brion

253 (2000) 41

Vibronic coupling for H_2CO and CO_2 , A.B. Rocha and C.E. Bielschowsky

253 (2000) 51

Density functional study of electronic, magnetic and hyperfine properties of $[\text{M}(\text{CN})_5\text{NO}]^{2-}$ ($\text{M} = \text{Fe}, \text{Ru}$) and reduction products, J.A. Gómez and D. Guenzburger

253 (2000) 73

Electronic structure of lithium phthalocyanine studied by ultraviolet photoemission spectroscopy, T. Kimura, M. Sumimoto, S. Sakaki, H. Fujimoto, Y. Hashimoto and S. Matsuzaki

253 (2000) 125

A systematic investigation of the influence of Cooper minima on the photoionisation dynamics of the monohalobenzenes, D.M.P. Holland, D. Edvardsson, L. Karlsson, R. Maripuu, K. Siegbahn, A.W. Potts and W. von Niessen

253 (2000) 133

Semiclassical energies of low-lying states of one-electron diatomics, E.J. Buehler, E.E. Gooch, J.L. Dial and S.K. Knudson

253 (2000) 219

Synthesis and magnetic characterisation of fullerene derivative based ferromagnets 1-(3-nitro)- and 1-(3-aminophenyl)-1*H*-methanofullerene doped with cobaltocene, P. Umek, A. Omerzu, D. Mihailović and M. Tokumoto

253 (2000) 361

Electric and magnetic properties

Density functional study of electronic, magnetic and hyperfine properties of $[\text{M}(\text{CN})_5\text{NO}]^{2-}$ ($\text{M} = \text{Fe}, \text{Ru}$) and reduction products, J.A. Gómez and D. Guenzburger

253 (2000) 73

Q-Band single-crystal EPR study and molecular orbital calculations of $[(\text{C}_6\text{H}_5)_4\text{As}] [\text{Re}^{\text{VI}}\text{NCl}_4/\text{Re}^{\text{V}}\text{OCl}_4]$, A. Voigt, U. Abram, R. Böttcher, U. Richter, J. Reinhold and R. Kirmse

253 (2000) 171

Nuclear quadrupole coupling constant of ^{21}Ne in the neon dimer and its influence on the T_1 NMR relaxation time in fluid neon, A. Halkier, B. Kirchner, H. Huber and M. Jaszuński

253 (2000) 183

Molecular interactions

Ab initio determination of the $\text{C}_6\text{H}_6 \cdots \text{CS}_2$ cluster stabilization energy, N.P. da Silveira, F.S. Rodembusch, F.V. Pereira, D. Samios and P.R. Livotto

253 (2000) 165

Equilibration of the kinetic energy in small zeolite cavities. The thermalization effect of lattice vibrations and of mutual interaction in the diffusion of methane in a cation-free LTA zeolite, S. Fritzsche, R. Haberlandt and M. Wolfsberg

253 (2000) 283

Monte Carlo simulation study of solvent effect on Na^+ to Li^+ ion mutation, H.-S. Kim

253 (2000) 305

*Spectral bandshapes and intensities*Vibronic coupling for H₂CO and CO₂, A.B. Rocha and C.E. Bielschowsky

253 (2000) 51

Coupling of electronic and nuclear motion

Influence of geminate recombination kinetics on the shape of low field MARY line,

Yu.V. Toropov, F.B. Sviridenko, D.V. Stass, A.B. Doktorov and Yu.N. Molin

253 (2000) 231

Molecular photophysical processes

Fullerene derivatives embedded in poly(methylmethacrylate): a laser flash photolysis and time-resolved EPR study, G. Agostini, L. Pasimeni, M. Ruzzi, S. Monti, M. Maggini, M. Prato, I. Lamparth and A. Hirsch

253 (2000) 105

Strong fluorescence emissions by H-aggregates of the dye thiacyanine in the presence of the surfactant aerosol-OT, A.K. Mandal and M.K. Pal

253 (2000) 115

A systematic investigation of the influence of Cooper minima on the photoionisation dynamics of the monohalobenzenes, D.M.P. Holland, D. Edvardsson, L. Karlsson, R. Maripuu, K. Siegbahn, A.W. Potts and W. von Niessen

253 (2000) 133

Excited state relaxation paths in 9,9'-bianthryl and 9-carbazolyl-anthracene: a sub-ps transient absorption study, M. Jurczok, P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig

253 (2000) 339

Energy dependences of fragment ion yields from acetone photoexcited in the C1s and O1s transition regions, I.H. Suzuki and N. Saito

253 (2000) 351

*Intramolecular dynamics**-radiationless transitions*Excited-state intramolecular proton transfer followed by *cis-trans* isomerization of (1-hydroxy-2-naphthyl)-s-triazine derivatives, M. Moriyama, M. Kosuge, S. Tobita and H. Shizuka

253 (2000) 91

Relaxation of individual rotational levels of the $\tilde{\Lambda}^1\text{A}_u$ electronic state of acetylene excited to the $2\nu_3'$ and $(\nu_1' + \nu_3' + \nu_6')$ vibrational modes, V.I. Makarov and E. Quiñones

253 (2000) 259

-vibrational energy redistribution (incl. vibrational dissociation)

Observation of a bottleneck in the vibrational relaxation of liquid bromoform, M.A.F.H. van den Broek and H.J. Bakker

253 (2000) 157

Nonlinear responses (incl. optical)

An improved calculation method on optical second-order susceptibilities of organic materials, X.-L. Zhu, X.-Z. You, Y. Zhong, Z. Yu and S.-L. Guo

253 (2000) 241

Reactions (incl. dissociation)

A genetic algorithm based technique for locating first-order saddle point using a gradient dominated recipe, P. Chaudhury, S.P. Bhattacharyya and W. Quapp

253 (2000) 295

Electron transfer

Comparative absorption, electroabsorption and electrochemical studies of intervalence electron transfer and electronic coupling in cyanide-bridged bimetallic systems: ancillary ligand effects, F.W. Vance, R.V. Slone, C.L. Stern and J.T. Hupp

253 (2000) 313

Excited state relaxation paths in 9,9'-bianthryl and 9-carbazolyl-anthracene: a sub-ps transient absorption study, M. Jurczok, P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig	253 (2000) 339
<i>Proton and hydrogen atom transfer</i>	
Protonation of archetypal aromatic and antiaromatic systems – G2 studies of benzene and cyclobutadiene, Z.B. Maksić, B. Kovacević and A. Lesar	253 (2000) 59
Excited-state intramolecular proton transfer followed by <i>cis-trans</i> isomerization of (1-hydroxy-2-naphthyl)-s-triazine derivatives, M. Moriyama, M. Kosuge, S. Tobita and H. Shizuka	253 (2000) 91
<i>Ionization (incl. Rydberg states)</i>	
Energy dependences of fragment ion yields from acetone photoexcited in the C1s and O1s transition regions, I.H. Suzuki and N. Saito	253 (2000) 351
<i>Molecular motion (incl. diffusive)</i>	
Molecular rotational diffusion detected by differential fluorescence energy, J.R. Torga, M.C. Marconi, R. Martín Negri and P.F. Aramendia	253 (2000) 249
Pseudo-lattice vibrations in smectic phase of liquid crystals: studies on small wave number Raman spectra of 4-alkyl-4'-cyanobiphenyl, H. Nakayama, Y. Minagawa, C. Abematsu, S. Yajima and K. Ishii	253 (2000) 331
<i>Collective motion and excitations</i>	
Pseudo-lattice vibrations in smectic phase of liquid crystals: studies on small wave number Raman spectra of 4-alkyl-4'-cyanobiphenyl, H. Nakayama, Y. Minagawa, C. Abematsu, S. Yajima and K. Ishii	253 (2000) 331
<i>Surface chemical physics</i>	
Non-equilibrium vibrational kinetics in adlayers: outline of an alternative approach to catalytic processes, E. Molinari and M. Tomellini	253 (2000) 367
<i>-adsorption</i>	
Non-equilibrium vibrational kinetics in adlayers: outline of an alternative approach to catalytic processes, E. Molinari and M. Tomellini	253 (2000) 367
<i>-desorption</i>	
Non-equilibrium vibrational kinetics in adlayers: outline of an alternative approach to catalytic processes, E. Molinari and M. Tomellini	253 (2000) 367
<i>-surface excitations</i>	
Non-equilibrium vibrational kinetics in adlayers: outline of an alternative approach to catalytic processes, E. Molinari and M. Tomellini	253 (2000) 367
<i>-catalysis</i>	
Non-equilibrium vibrational kinetics in adlayers: outline of an alternative approach to catalytic processes, E. Molinari and M. Tomellini	253 (2000) 367

Thermodynamic and transport properties

Nuclear quadrupole coupling constant of ^{21}Ne in the neon dimer and its influence on the T_1 NMR relaxation time in fluid neon, A. Halkier, B. Kirchner, H. Huber and M. Jaszuński

253 (2000) 183

Structure of solids, liquids and glasses

Topological properties of the hydrogen-bond network in liquid water, D.L. Bergman
Monte Carlo simulation study of solvent effect on Na^+ to Li^+ ion mutation,
H.-S. Kim

253 (2000) 267

Temperature-dependent optical Kerr effect spectroscopy of chloroform in restricted
geometries, B.J. Loughnane, A. Scodinu and J.T. Fourkas

253 (2000) 305

253 (2000) 323

Biomolecular structure–function relationships

The keto–amino/enol tautomerism of cytosine in aqueous solution. A theoretical study
using combined discrete/self-consistent reaction field models, C. Alemán

253 (2000) 13

